

Biktarvy[®] (BIC/FTC/TAF)

Coadministration with Topiramate

This document is in response to your request for information regarding Biktarvy[®] (bictegravir/emtricitabine/tenofovir alafenamide [BIC/FTC/TAF]) and coadministration with topiramate.

Some data may be outside of the US FDA-approved Prescribing Information. In providing this data, Gilead Sciences, Inc. is not making any representation as to its clinical relevance or to the use of any Gilead product(s). For information about the approved conditions of use of any Gilead drug product, please consult the FDA approved prescribing information.

The full indication, important safety information, and boxed warnings are available at:
www.gilead.com/-/media/files/pdfs/medicines/hiv/biktarvy/biktarvy_pi,
www.gilead.com/-/media/files/pdfs/medicines/hiv/descovy/descovy_pi.

PK DDI Evaluation

This interaction has not been studied between the single-tablet regimen BIC/FTC/TAF and topiramate. Based on the PK profile of each active ingredient within BIC/FTC/TAF and topiramate, a PK interaction would not be predicted.^{1,2} For more information about topiramate, please refer to its product labeling.¹

BIC/FTC/TAF PK^{2,3}

DDI Mechanism		BIC	FTC	TAF
Drug Transporters	OCT2	Inhibitor	N/A	N/A
	MATE1	Inhibitor	N/A	N/A
	P-gp/BCRP	N/A	N/A	Substrate
	OATP1B1	N/A	N/A	Substrate
	OATP1B3	N/A	N/A	Substrate
Drug Metabolizing Enzymes	CYP3A	Substrate ^a	N/A	Minor Substrate
	UGT1A1	Substrate ^a	N/A	N/A

^aA drug that is a strong inducer of CYP3A and also an inducer of UGT1A1 can substantially decrease the plasma concentrations of BIC. Similarly, the use of BIC/FTC/TAF with a drug that is a strong inhibitor of CYP3A and also an inhibitor of UGT1A1 may significantly increase the plasma concentrations of BIC.²

Relevant BIC/FTC/TAF Label Information²

There is no information in the BIC/FTC/TAF product labeling about the coadministration of BIC/FTC/TAF and topiramate.

Available Data

There are no Gilead studies evaluating the coadministration of BIC/FTC/TAF and topiramate.

Additionally, a literature search was conducted in Ovid MEDLINE, BIOSIS Previews, and Embase databases for studies published between 1946 and December 30, 2024 using search terms that included Biktarvy, bictegravir, emtricitabine, tenofovir alafenamide, topiramate, and related search terms. No relevant citations were found.

References

1. Janssen Pharmaceuticals, Inc, TOPAMAX® (topiramate) TABLETS, for oral use. TOPAMAX® (topiramate capsules) SPRINKLE CAPSULES, for oral use. U.S. Prescribing Information. Titusville, NJ.
 2. Enclosed, Gilead Sciences Inc. BIKTARVY® (bictegravir, emtricitabine, and tenofovir alafenamide) tablets, for oral use. U.S. Prescribing Information. Foster City, CA.
 3. Enclosed, Gilead Sciences Inc, DESCOVY® (emtricitabine and tenofovir alafenamide) tablets, for oral use. U.S. Prescribing Information. Foster City, CA.
-

Abbreviations

BCRP=breast cancer
resistance protein

BIC=bictegravir

DDI=drug-drug interaction

FTC=emtricitabine

MATE=multidrug and toxin

extrusion protein

OATP=organic anion
transporting polypeptide

OCT=organic cation

transporter

P-gp=P-glycoprotein

PK=pharmacokinetic(s)

TAF=tenofovir alafenamide

UGT=uridine 5'-diphospho-
glucourosyltransferase

Product Label

For the full indication, important safety information, and boxed warning(s), please refer to the Biktarvy and Descovy US Prescribing Information available at:

www.gilead.com/-/media/files/pdfs/medicines/hiv/biktarvy/biktarvy_pi,
www.gilead.com/-/media/files/pdfs/medicines/hiv/descovy/descovy_pi.

Follow-Up

For any additional questions, please contact Gilead Medical Information at:

☎ 1-866-MEDI-GSI (1-866-633-4474) or 🌐 www.askgileadmedical.com

Adverse Event Reporting

Please report all adverse events to:

Gilead Global Patient Safety ☎ 1-800-445-3235, option 3 or

🌐 www.gilead.com/utility/contact/report-an-adverse-event

FDA MedWatch Program by ☎ 1-800-FDA-1088 or ✉ MedWatch, FDA, 5600 Fishers Ln, Rockville, MD 20852 or 🌐 www.accessdata.fda.gov/scripts/medwatch

Data Privacy

The Medical Information service at Gilead Sciences may collect, store and use your personal information to provide a response to your medical request. We may share your information with other Gilead Sciences colleagues to ensure that your request is addressed appropriately. If you report an adverse event or concern about the quality of a Gilead or Kite product, we will need to use the information you have given us in order to meet our regulatory requirements in relation to the safety of our medicines.

It may be necessary for us to share your information with Gilead's affiliates, business partners, service providers and regulatory authorities located in countries besides your own. Gilead Sciences has implemented measures to protect the personal information you provide. Please see the Gilead Privacy Statement (www.gilead.com/privacy-statements) for more information about how Gilead handles your personal information and your rights. If you have any further questions about the use of your personal information, please contact privacy@gilead.com.

BIKTARVY, DESCOVY, GILEAD, and the GILEAD logo are registered trademarks of Gilead Sciences, Inc., or its related companies.

© 2024 Gilead Sciences, Inc.