



Descovy[®] (FTC/TAF) Crushing or Splitting of Tablets

This document is in response to your request for information regarding the crushing or splitting of Descovy[®] (emtricitabine/tenofovir alafenamide [FTC/TAF]) tablets.

Some data may be outside of the US FDA-approved prescribing information. In providing this data, Gilead Sciences, Inc. is not making any representation as to its clinical relevance or to the use of any Gilead product(s). For information about the approved conditions of use of any Gilead drug product, please consult the FDA-approved prescribing information.

The full indication, important safety information, and boxed warnings are available at: www.gilead.com/-/media/files/pdfs/medicines/hiv/descovy/descovy_pi.

Product Labeling¹

There is no information in the FTC/TAF product label about the crushing or splitting of FTC/TAF; therefore, it is not recommended that FTC/TAF be administered as a crushed or split tablet.

In regard to the individual components of FTC/TAF, FTC has a solubility of approximately 112 mg/mL in water at 25°C and TAF has a solubility of 4.7 mg/mL in water at 20°C.

Available Data on Crushing or Splitting FTC/TAF Tablets

Gilead Data

Crushing FTC/TAF tablets and adding to a liquid medium has not been studied and is not recommended. TAF is soluble in water; however, it has a bitter and burnt aromatic flavor profile.² Currently, there are no studies evaluating the pharmacokinetics (eg, oral bioavailability) of a crushed FTC/TAF tablet dispersed in a liquid medium (eg, milk, water, or juice) compared with the pharmacokinetics of a whole tablet.

Similarly, splitting FTC/TAF tablets has not been studied, and it is not recommended. Currently, there are no studies evaluating the pharmacokinetics of a split FTC/TAF tablet versus a whole tablet.

Non-Gilead Data

A literature search was conducted in Ovid MEDLINE and Embase databases for studies published up to September 25, 2025, using the search terms Descovy, emtricitabine, tenofovir alafenamide, cutting, crushing, splitting tablets, and related search terms. The information presented below was found.

Case report

There are limitations in the interpretation of case reports. Case reports cannot be generalized. Unlike controlled clinical trials, causality cannot be inferred based on uncontrolled observational data. Additionally, incidence or prevalence cannot be estimated due to the lack of a representative population sample. Other limitations of case reports include the retrospective design and publication bias.³

Crushed FTC/TAF tablets administered via PEG tube⁴

A 54-year-old male with HIV and squamous cell carcinoma of the tongue prepared pulverized FTC/TAF and dolutegravir 50 mg mixed in water and injected the mixture via a catheter syringe through a percutaneous endoscopic gastrostomy (PEG) tube, followed by administration of a can of enteral nutrition. Virologic suppression (HIV-1 RNA <20 copies/mL) was maintained at 8 and 10 months after FTC/TAF initiation, and no adverse events or intolerances were reported.

References

1. Enclosed. Gilead Sciences Inc, DESCOPY® (emtricitabine and tenofovir alafenamide) tablets, for oral use. U. S. Prescribing Information. Foster City, CA.
2. Gilead Sciences Inc. Data on File.
3. Nissen T, Wynn R. The Clinical Case Report: A Review of Its Merits and Limitations. *BMC research notes*. 2014;7:264.
4. Fulco PP, Higginson RT. Enhanced HIV Viral Load Suppression with Crushed Combination Tablets Containing Tenofovir Alafenamide and Emtricitabine. *Am J Health Syst Pharm*. 2018;75(10):594-595.

Product Label

For the full indication, important safety information, and boxed warning(s), please refer to the Descovy US Prescribing Information available at:

www.gilead.com/-/media/files/pdfs/medicines/hiv/descovy/descovy_pi.

Follow-Up

For any additional questions, please contact Gilead Medical Information at:

☎ 1-866-MEDI-GSI (1-866-633-4474) or 🌐 www.askgileadmedical.com

Adverse Event Reporting

Please report all adverse events to:

Gilead Global Patient Safety ☎ 1-800-445-3235, option 3 or

🌐 www.gilead.com/utility/contact/report-an-adverse-event

FDA MedWatch Program by ☎ 1-800-FDA-1088 or ✉ MedWatch, FDA, 5600 Fishers Ln, Rockville, MD 20852 or 🌐 www.accessdata.fda.gov/scripts/medwatch

Data Privacy

The Medical Information service at Gilead Sciences may collect, store, and use your personal information to provide a response to your medical request. We may share your information with other Gilead Sciences colleagues to ensure that your request is addressed appropriately. If you report an adverse event or concern about the quality of a Gilead or Kite product, we will need to use the information you have given us in order to meet our regulatory requirements in relation to the safety of our medicines.

It may be necessary for us to share your information with Gilead's affiliates, business partners, service providers, and regulatory authorities located in countries besides your own. Gilead Sciences has implemented measures to protect the personal information you provide. Please see the Gilead Privacy Statement (www.gilead.com/privacy-statements) for more information about how Gilead handles your personal information and your rights. If you have any further questions about the use of your personal information, please contact gilead.privacy@gilead.com.

DESCOVY, GILEAD, and the GILEAD logo are registered trademarks of Gilead Sciences, Inc., or its related companies.

© 2026 Gilead Sciences, Inc.