

Epclusa[®] (sofosbuvir/velpatasvir) Coadministration with Rosuvastatin

This document is in response to your request for information regarding Epclusa[®] (sofosbuvir/velpatasvir [SOF/VEL]) and coadministration with rosuvastatin.

Some data may be outside of the US FDA-approved Prescribing Information. In providing this data, Gilead Sciences, Inc. is not making any representation as to its clinical relevance or to the use of any Gilead product(s). For information about the approved conditions of use of any Gilead drug product, please consult the FDA approved prescribing information.

The full indication, important safety information, and boxed warnings are available at: www.gilead.com/-/media/files/pdfs/medicines/liver-disease/epclusa/epclusa_pi.

PK DDI Evaluation

Based on the PK profile of each active ingredient within SOF/VEL and rosuvastatin, a PK interaction would be predicted.^{1,2} Coadministration of the agents may significantly increase the concentration of rosuvastatin due to inhibition of OATP and BCRP by VEL. For more information about rosuvastatin, please refer to its product labeling.²

SOF/VEL PK¹

DDI Mechanism		SOF	VEL
Drug Transporters	P-gp/BCRP	Substrate	Substrate/Inhibitor
	OATP1B1	N/A	Inhibitor
	OATP1B3	N/A	Inhibitor
	OATP2B1	N/A	Inhibitor
Drug Metabolizing Enzymes	CYP1A2	N/A	N/A
	CYP2B6	N/A	Substrate
	CYP2C8	N/A	Substrate
	CYP2C19/19	N/A	N/A
	CYP2D6	N/A	N/A
	CYP3A4	N/A	Substrate

Relevant SOF/VEL Label Information¹

Coadministration of SOF/VEL with rosuvastatin may significantly increase the concentration of rosuvastatin, which is associated with increased risk of myopathy, including rhabdomyolysis. Rosuvastatin may be administered with SOF/VEL at a dose that does not exceed 10 mg.

Table 1: Changes in PK Parameters for Coadministered Drug in the Presence of SOF, VEL, or EPCLUSA^a

Coadministered Drug	Dose of Coadministered Drug (mg)	SOF Dose (mg)	VEL Dose (mg)	N	Mean Ratio (90% CI) of Coadministered Drug PK With/Without SOF, VEL, or EPCLUSA No Effect=1.00		
					C _{max}	AUC	C _{min}
Rosuvastatin	10 single dose	ND	100 once daily	18	2.61 (2.32, 2.92)	2.69 (2.46, 2.94)	NA

Clearance of HCV infection with direct acting antivirals may lead to changes in hepatic function, which may impact safe and effective use of concomitant medications. Frequent monitoring of relevant laboratory parameters (INR or blood glucose) and dose adjustments of certain concomitant medications may be necessary. For more information, please refer to Section 7.3 of the SOF/VEL US Prescribing Information (Established and Potentially Significant Drug Interactions).

References

1. Enclosed. Gilead Sciences Inc, EPCLUSA® (sofosbuvir and velpatasvir) tablets, for oral use. US Prescribing Information. Foster City, CA.
2. AstraZeneca Pharmaceuticals LP, CRESTOR® (rosuvastatin calcium) tablets. US Prescribing Information. Wilmington, DE

Abbreviations

BCRP=breast cancer resistance protein
DDI=drug-drug interaction

OATP=organic anion transporting polypeptide
P-gp=P-glycoprotein
PK=pharmacokinetic(s)

SOF=sofosbuvir
VEL=velpatasvir

Product Label

For the full indication, important safety information, and Boxed Warning(s), please refer to the Epclusa US Prescribing Information available at:

http://www.gilead.com/-/media/files/pdfs/medicines/liver-disease/epclusa/epclusa_pi

Follow-Up

For any additional questions, please contact Gilead Medical Information at:

☎ 1-866-MEDI-GSI (1-866-633-4474) or 🌐 www.askgileadmedical.com

Adverse Event Reporting

Please report all adverse events to:

Gilead Pharmacovigilance and Epidemiology ☎ 1-800-445-3235, option 3 or

🌐 www.gilead.com/utility/contact/report-an-adverse-event

FDA MedWatch Program by ☎ 1-800-FDA-1088 or ✉ MedWatch, FDA, 5600 Fishers Ln, Rockville, MD 20852 or 🌐 www.accessdata.fda.gov/scripts/medwatch

Data Privacy

The Medical Information service at Gilead Sciences may collect, store and use your personal information to provide a response to your medical request. We may share your information with other Gilead Sciences colleagues to ensure that your request is addressed appropriately. If you report an adverse event or concern about the quality of a Gilead or Kite product, we will need to use the information you have given us in order to meet our regulatory requirements in relation to the safety of our medicines.

It may be necessary for us to share your information with Gilead's affiliates, business partners, service providers and regulatory authorities located in countries besides your own. Gilead Sciences has implemented measures to protect the personal information you provide. Please see the Gilead Privacy Statement (www.gilead.com/privacy-statements) for more information about how Gilead handles your personal information and your rights. If you have any further questions about the use of your personal information, please contact privacy@gilead.com.

EPCLUSA, GILEAD, and the GILEAD logo are registered trademarks of Gilead Sciences, Inc., or its related companies.

© 2025 Gilead Sciences, Inc.