

# Epclusa<sup>®</sup> (sofosbuvir/velpatasvir) Coadministration with Apixaban

This document is in response to your request for information regarding Epclusa<sup>®</sup> (sofosbuvir/velpatasvir [SOF/VEL]) and coadministration with apixaban.

Some data may be outside of the US FDA-approved Prescribing Information. In providing this data, Gilead Sciences, Inc. is not making any representation as to its clinical relevance or to the use of any Gilead product(s). For information about the approved conditions of use of any Gilead drug product, please consult the FDA approved prescribing information.

**The full indication, important safety information, and boxed warnings are available at: [www.gilead.com/-/media/files/pdfs/medicines/liver-disease/epclusa/epclusa\\_pi](http://www.gilead.com/-/media/files/pdfs/medicines/liver-disease/epclusa/epclusa_pi).**

## PK DDI Evaluation

Drug interaction studies have not been conducted between the single-tablet regimen SOF/VEL and apixaban. Based on the PK profile of each active ingredient within SOF/VEL and apixaban, a PK interaction would not be predicted.<sup>1,2</sup> While a potential increase in apixaban concentration from P-gp inhibition by VEL is not expected to be clinically significant, monitoring may be advised. For more information about apixaban, please refer to its product labeling.<sup>2</sup>

## SOF/VEL PK<sup>1</sup>

DDI Mechanism		SOF	VEL
Drug Transporters	P-gp/BCRP	Substrate	Substrate/Inhibitor
	OATP1B1	N/A	Inhibitor
	OATP1B3	N/A	Inhibitor
	OATP2B1	N/A	Inhibitor
Drug Metabolizing Enzymes	CYP1A2	N/A	N/A
	CYP2B6	N/A	Substrate
	CYP2C8	N/A	Substrate
	CYP2C19/19	N/A	N/A
	CYP2D6	N/A	N/A
	CYP3A4	N/A	Substrate

## Relevant SOF/VEL Label Information<sup>1</sup>

There is no information in the SOF/VEL product labeling about the coadministration of SOF/VEL and apixaban.

Clearance of HCV infection with direct acting antivirals may lead to changes in hepatic function, which may impact safe and effective use of concomitant medications. Frequent monitoring of relevant laboratory parameters (INR or blood glucose) and dose adjustments of certain concomitant medications may be necessary. For more information, please refer to

Section 7.3 of the SOF/VEL US Prescribing Information (Established and Potentially Significant Drug Interactions).

---

## Clinical Data on Coadministration of SOF/VEL and Apixaban Retrospective International Multicenter Cohort Study<sup>3</sup>

A retrospective, multicenter, international cohort study evaluated the safety of DOACs with concomitant use of DAAs in adult HCV patients with or without cirrhosis. The primary endpoint was the incidence of clinically relevant bleeding, including major bleeding and clinically relevant nonmajor bleeding.

Of the 204 patients who met the inclusion criteria, 29.2% of patients (49/168) without cirrhosis and 47.2% of patients (17/36) with cirrhosis received concomitant SOF/VEL. Of the overall population, the DOAC apixaban was prescribed in 37.5% of adults (63/168) without cirrhosis and 50% of adults (18/36) with cirrhosis. Three patients (1.5%) experienced major bleeding, including 1 patient who was receiving apixaban with concomitant SOF/VEL, and none experienced clinically relevant nonmajor bleeding. All 3 patients who had major bleeding were receiving apixaban with concomitant antiplatelet therapy (aspirin with or without clopidogrel). Additionally, of the 3 who had major bleeding, 2 (including the patient receiving SOF/VEL) had stage 5 CKD and were on hemodialysis. Six (3%) patients discontinued use of DOACs; none of these discontinuations were linked to a specific DAA.

---

## Available Data

There are no Gilead studies evaluating the coadministration of SOF/VEL and apixaban.

Additionally, a literature search was conducted in Ovid MEDLINE and Embase databases for studies published between 1946 and May 19, 2026 using search terms that included Eplclusa, velpatasvir, sofosbuvir, apixaban, and related search terms. An additional citation was identified.

- Rosato V, Nevola R, Dallio M, et al. Safety of Sofosbuvir-Based Direct-Acting Antivirals for Hepatitis C Virus Infection and Direct Oral Anticoagulant Co-Administration. *J. Clin. Med.* 2024;13(19). doi:10.3390/jcm13195807
- 

## References

1. Enclosed. Gilead Sciences Inc, EPCLUSA® (sofosbuvir and velpatasvir) tablets, for oral use. US Prescribing Information. Foster City, CA.
2. Bristol-Myers Squibb Company, ELIQUIS® (apixaban) tablets, for oral use. US Prescribing Information. Princeton, NJ.
3. McDaniel K, Utz AE, Akbashev M, et al. Safe co-administration of direct-acting antivirals and direct oral anticoagulants among patients with hepatitis C virus infection: An international multicenter retrospective cohort study. *J Viral Hepat.* 2022;29(12):1073-1078.

## Abbreviations

BCRP=breast cancer  
resistance protein

DDI=drug-drug interaction

DOAC= direct oral  
anticoagulants

OATP=organic anion  
transporting polypeptide

P-gp=P-glycoprotein  
PK=pharmacokinetic(s)

SOF=sofosbuvir  
VEL=velpatasvir

---

## Product Label

For the full indication, important safety information, and Boxed Warning(s), please refer to the Epclusa US Prescribing Information available at:

[http://www.gilead.com/-/media/files/pdfs/medicines/liver-disease/epclusa/epclusa\\_pi](http://www.gilead.com/-/media/files/pdfs/medicines/liver-disease/epclusa/epclusa_pi)

## Follow-Up

For any additional questions, please contact Gilead Medical Information at:

☎ 1-866-MEDI-GSI (1-866-633-4474) or 🌐 [www.askgileadmedical.com](http://www.askgileadmedical.com)

## Adverse Event Reporting

Please report all adverse events to:

Gilead Pharmacovigilance and Epidemiology ☎ 1-800-445-3235, option 3 or

🌐 [www.gilead.com/utility/contact/report-an-adverse-event](http://www.gilead.com/utility/contact/report-an-adverse-event)

FDA MedWatch Program by ☎ 1-800-FDA-1088 or ✉ MedWatch, FDA, 5600 Fishers Ln, Rockville, MD 20852 or 🌐 [www.accessdata.fda.gov/scripts/medwatch](http://www.accessdata.fda.gov/scripts/medwatch)

## Data Privacy

The Medical Information service at Gilead Sciences may collect, store and use your personal information to provide a response to your medical request. We may share your information with other Gilead Sciences colleagues to ensure that your request is addressed appropriately. If you report an adverse event or concern about the quality of a Gilead or Kite product, we will need to use the information you have given us in order to meet our regulatory requirements in relation to the safety of our medicines.

It may be necessary for us to share your information with Gilead's affiliates, business partners, service providers and regulatory authorities located in countries besides your own. Gilead Sciences has implemented measures to protect the personal information you provide. Please see the Gilead Privacy Statement ([www.gilead.com/privacy-statements](http://www.gilead.com/privacy-statements)) for more information about how Gilead handles your personal information and your rights. If you have any further questions about the use of your personal information, please contact [privacy@gilead.com](mailto:privacy@gilead.com).

EPCLUSA, GILEAD, and the GILEAD logo are registered trademarks of Gilead Sciences, Inc., or its related companies.

© 2026 Gilead Sciences, Inc.