



Trodelvy® (sacituzumab govitecan-hziy)

Monotherapy: Alternative Dosing Schedules

This document is in response to your request for information regarding Trodelvy® (sacituzumab govitecan-hziy [SG]) as monotherapy and alternative dosing schedules.

Some data may be outside of the US FDA-approved Prescribing Information. In providing this data, Gilead Sciences, Inc. is not making any representation as to its clinical relevance or to the use of any Gilead product(s). For information about the approved conditions of use of any Gilead drug product, please consult the FDA approved prescribing information.

The full indication, important safety information, and boxed warnings for neutropenia and diarrhea are available at:

www.gilead.com/-/media/files/pdfs/medicines/oncology/trodelvy/trodelvy_pi.

Relevant Product Labeling¹

Dosage and Administration

Recommended Dosage

The recommended dosage of SG as a single agent is 10 mg/kg administered as an intravenous infusion on Days 1 and 8 of each 21-day cycle. Continue SG until disease progression or unacceptable toxicity. Do not administer SG at doses >10 mg/kg.

Monotherapy: Alternative Dosing Schedules

A literature search was conducted in Ovid MEDLINE, BIOSIS Previews, and Embase databases for studies published between 1946 and 18 February 2026, using search terms of sacituzumab govitecan, alternative dosing schedule, dosing schedule, and related terms. No case reports or clinical studies examining the efficacy and safety outcomes associated with alternative dosing schedules for SG monotherapy were identified. This includes studies using alternative dosing schedules for patients who are overweight or underweight, to mitigate adverse events, or to align with the dosing of granulocyte-colony stimulating factor.

References

1. TRODELVY® Gilead Sciences Inc. Trodelvy (sacituzumab govitecan-hziy) for injection, for intravenous use. U.S. Prescribing Information. Foster City, CA.

Product Label

For the full indication, important safety information, and Boxed Warning(s), please refer to the Trodelvy US Prescribing Information available at: https://www.gilead.com/-/media/files/pdfs/medicines/oncology/trodelvy/trodelvy_pi.pdf.

Follow Up

For any additional questions, please contact Trodelvy Medical Information at:

☎ 1-888-983-4668 or 🌐 www.askgileadmedical.com

Adverse Event Reporting

Please report all adverse events to:

Gilead Global Patient Safety ☎ 1-800-445-3235, option 3 or
🌐 <https://www.gilead.com/utility/contact/report-an-adverse-event>

FDA MedWatch Program by ☎ 1-800-FDA-1088 or ✉ MedWatch, FDA, 5600 Fishers Ln, Rockville, MD 20852 or 🌐 www.accessdata.fda.gov/scripts/medwatch

Data Privacy

The Medical Information service at Gilead Sciences may collect, store and use your personal information to provide a response to your medical request. We may share your information with other Gilead Sciences colleagues to ensure that your request is addressed appropriately. If you report an adverse event or concern about the quality of a Gilead or Kite product, we will need to use the information you have given us in order to meet our regulatory requirements in relation to the safety of our medicines.

It may be necessary for us to share your information with Gilead's affiliates, business partners, service providers and regulatory authorities located in countries besides your own. Gilead Sciences has implemented measures to protect the personal information you provide. Please see the Gilead Privacy Statement (www.gilead.com/privacy-statements) for more information about how Gilead handles your personal information and your rights. If you have any further questions about the use of your personal information, please contact gilead.privacy@gilead.com.

TRODELVY, GILEAD, and the GILEAD logo are registered trademarks of Gilead Sciences, Inc., or its related companies.

© 2026 Gilead Sciences, Inc.